

Patent Claims

1. Use of at least one active ingredient chosen from the group consisting of flavones, flavanones and flavonoids for protecting at least one active ingredient chosen from the group consisting of ascorbic acid and ascorbyl compounds from oxidation.
2. Use according to Claim 1, characterized in that the active ingredient(s) chosen from the group consisting of flavones, flavanones and flavonoids is/are present in cosmetic or dermatological preparations in an effective amount.
3. Use according to Claim 2, characterized in that the active ingredient(s) chosen from the group consisting of flavones, flavanones and flavonoids is/are present in cosmetic or topical dermatological preparations in concentrations of 0.01-10% by weight, preferably 0.05-5% by weight, in particular 0.1-2.0% by weight, based on the total weight of the preparations.
4. Use according to Claim 1, characterized in that the active ingredient(s) chosen from the group consisting of ascorbic acid and ascorbyl compounds is present in cosmetic or dermatological preparations in an effective amount.
5. Use according to Claim 4, characterized in that the active ingredient(s) chosen from the group consisting of ascorbic acid and ascorbyl compounds is/are present in cosmetic or topical dermatological preparations in concentrations of 0.001-10% by weight, preferably 0.05-5% by weight, in particular 0.1-2.0% by weight, based on the total weight of the preparation.
6. Use according to Claim 1, characterized in that the active ingredient chosen from the group consisting of flavones, flavanones and flavonoids is α -glucosylrutin.
7. Use according to Claim 2, characterized in that the cosmetic or dermatological preparations additionally comprise one or more complexing agents.
8. Use according to Claim 7, characterized in that the complexing agent(s) is/are chosen from the group consisting of tartaric acid and anions thereof, citric acid and anions thereof, aminopolycarboxylic acids and anions thereof (such as, for example, ethylenediaminetetraacetic acid and anions thereof, nitrilotriacetic acid and anions thereof, hydroxyethylenediaminetriacetic acid and anions thereof, diethylenediaminopentaacetic acid and anions thereof, and trans-1,2-diaminocyclohexanetetraacetic acid and anions thereof).
9. Use according to Claim 7, characterized in that the complexing agent(s) is/are present in the cosmetic or dermatological preparations

preferably in amounts from 0.01% by weight to 10% by weight, preferably from 0.05% by weight to 5% by weight, particularly preferably 0.1-2.0% by weight, based on the total weight of the preparations.